

Accessory Light Kit

Polaris UTV Backup light

Installation Instructions for Part No. 66009

Requires installation of kit 66008 or 66011



Hardware Included:

- 1 – LED Light
- 2 – 1.75" Clamps
- 2 – 2.25" Clamps
- 2 – Clamp screws
- 2 – Clamp Washers
- 2 – Clamp Nuts
- 4 – Cable Ties (not pictured)

Tools Required:

- Screwdriver
- 4mm allen wrench



PLEASE READ ALL INSTRUCTIONS CAREFULLY PRIOR TO INSTALLATION

Attention: The assembly of this product can be complicated and requires good technical understanding. If you are not sure on how to do this or have a vehicle with complex electronics, have a service center perform the installation. PowerMadd accepts no liability for damages caused by improper installation. Before proceeding familiarize yourself with all the parts contained in the Backup Light Kit and the wiring schematic. Reference parts list and schematic. Please note that all parts may not be used depending on application.

Step 1: Determine the LED light mounting location

Mount toward the rear of the machine where it will not be obstructed.

Step 2: Hooking up the light

Your original 66008 back up light kit came with double bullet connectors on the LED light connection. Find that connection and hook up red to red and black to black. **See Photo 1**




Photo 1

Step 3: Securing LED Light

Depending on what model you have use the clamp that fits around your roll cage. RZR 1.75" clamp. Ranger/General 2.25" clamp. Mount toward the rear of the machine where the light will not be obstructed. Some models with cabs will require flush mounting the LED light. **SEE PHOTOS 2, 3 and 4.**





**Ranger Flush
Mount**

Photo 4

Step 4: Wrap Wires

Using the include cable ties, secure all wires.

LIMITED WARRANTY

PowerMadd guarantees its products against defects in material and workmanship for a period of twelve (12) months from the original date of purchase. **POWERMADD** shall not be liable for damage or injury caused by defective materials or workmanship. **POWERMADD** may elect to repair or replace this product, but is the sole judge of any defects in their product. This warranty does not cover any labor costs to remove or reinstall this product and is effect for one year from the original purchase date.